



FENWICK™ 24hr Intensive Use Multiple Shift Seating Series

Fenwick chairs are perfect for intensive use by one person throughout the workday, or 24/7 applications for a chair that will see multiple users on different shifts. Upgrades include heavy duty mechanism, base, gas cylinder, casters and vinyl protective edging on backrest.



HORIZON™
FURNITURE

FENWICK™ 24 HR INTENSIVE USE MULTIPLE SHIFT SEATING

- Recommended for multiple shift (24hr applications) and intensive use by person up to **300 lbs.**
- Heavy-duty mechanism, base, gas cylinder, casters and vinyl protection edging on backrest
- Pneumatic, soft descent seat height adjustment
- High density injection molded heavy duty seat and dual density backrest cushions



Mid Back Heavy Duty Multi-Tilter Chair

660-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

Mid Back Heavy Duty Task Chair (Non-Tilter)

660-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 24" | 19" | 50 | 9 |



High Back Heavy Duty Multi-Tilter Chair

670-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control + Forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

High Back Heavy Duty Task Chair (Non-Tilter)

670-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 27.5" | 19" | 60 | 10 |

ARMREST OPTIONS

| AAT Height Adjust WAAT Adds Width | TAT Height, Telescope, Lateral In/Out | AT Height Adjust WT Adds Width | WMS Height, Width Pad Rotates 34°; Moves Side to Side and Depth Slide |
|--------------------------------------|---------------------------------------|-----------------------------------|---|
| | | | |

FENWICK™ 24 HR INTENSIVE USE MULTIPLE SHIFT SEATING

- Recommended for multiple shift (24hr applications) and intensive use by person up to **300 lbs.**
- Heavy-duty mechanism, base, gas cylinder, casters and vinyl protection edging on backrest
- Pneumatic, soft descent seat height adjustment
- Injection molded heavy duty foam seat and backrest cushions

Low Back Heavy Duty Multi-Tilter Chair

250-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

Low Back Heavy Duty Task Chair (Non-Tilter)

250-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 19" | 19" | 50 | 9 |



High Back Heavy Duty Multi-Tilter Chair

270-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

High Back Heavy Duty Task Chair (Non-Tilter)

270-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 24" | 19" | 60 | 10 |



ARMREST OPTIONS

| AAT Height Adjust WAAT Adds Width | TAT Height, Telescope, Lateral In/Out | AT Height Adjust WT Adds Width | WMS Height, Width Pad Rotates 34°, Moves Side to Side and Depth Slide |
|--|---|---|--|
| | | | |

FENWICK™ 24 HR INTENSIVE USE MULTIPLE SHIFT SEATING

- Recommended for multiple shift (24hr applications) and intensive use by person up to **300 lbs.**
- Heavy-duty mechanism, base, gas cylinder and casters
- All Vinyl Seat and fabric backrest with vinyl protection edging
- Pneumatic, soft descent seat height adjustment
- Injection molded heavy duty seat cushion
- Unique shaped backrest allows room for utility belts, holsters etc.



Mid Back Heavy Duty Multi-Tilter, Utility/Gun Belt Design

680-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

Mid Back Heavy Duty Task Chair, Utility/Gun Belt Design

680-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 24" | 19" | 50 | 9 |



High Back Heavy Duty Multi-Tilter, Utility/Gun Belt Design

684-01HDSS: Backrest height adjustment + Independent, infinite position back and seat angle adjustment with tilt lock control forward seat tilt lock control + Tilt-tension adjustment + Front activated seat depth adjustment (seat slider) + Forward seat tilt lock

High Back Heavy Duty Task Chair, Utility/Gun Belt Design

684-14HD: Seat Height + Backrest height & angle adjustments only

| SEAT | | | BACK | | SHIPPING | |
|-------------|-------|-------|--------|-------|----------|------|
| Height | Width | Depth | Height | Width | Lbs | Cube |
| 18.5-23.25" | 20" | 19" | 27.5" | 19" | 60 | 10 |

ARMREST OPTIONS

| AAT Height Adjust WAAT Adds Width | TAT Height, Telescope, Lateral In/Out | AT Height Adjust WT Adds Width | WMS Height, Width Pad Rotates 34°, Moves Side to Side and Depth Slide |
|--------------------------------------|--|-----------------------------------|--|
| | | | |